

# SPECIAL MDI SERIES

01

## 製品の特性

常温では液状の特殊MDIは、様々な用途や物性に合わせて変性します。  
主に軟質フォームや半硬質フォーム、CASE(Coating, Adhesive, Sealant, Elastomer)分野で使用されています。

02

## 特徴

	Product Name	Appearance	NCO Content(Wt%)	Viscosity(cps/25°C)	Typical Applications
軟質フォーム用	COSMONATE MC-70 C	Brown Liquid	36.5±0.5	Max. 15	Automotive Seat, Furniture Seat
	OSMONATE MC-77 CO	Brown Liquid	35.5±0.5	Max. 25	Automotive Seat, Furniture Seat
	SMONATE MC-82W CO	Brown Liquid	35.5±0.5	Max. 25	Automotive Seat, Furniture Seat
	SMONATE MC-85W CO	Brown Liquid	34.8±0.5	Max. 20	Automotive Seat, Furniture Seat
	SMONATE CG-27N COS	Brown Liquid	27.5±0.5	150~250	Slow Recovery Foam Automotiv
	MONATE CG-30S COSM	Brown Liquid	43.0±0.5	Max. 20	e Seat, Furniture Seat
	ONATE CG-32S COSMO	Brown Liquid	32.8±0.5	Max. 20	Automotive NVH, Head & Arm Rest A
	NATE CG-33S COSMON	Brown Liquid	33.5±0.5	Max. 45	utomotive NVH, Head Rest Automotiv
	ATE CG-35S COSMONAT	Brown Liquid	34.8±0.5	Max. 20	e Seat, Furniture Seat Automotive Sea
	E CG-3705S COSMONA	Brown Liquid	37.4±0.5	Max. 20	t, Furniture Seat Automotive Seat, Fur
	TE CG-50S COSMONATE	Brown Liquid	36.0±0.5	Max. 25	niture Seat Automotive Seat, Furniture
	CG-56S COSMONATE C	Brown Liquid	28.9±0.5	Max. 110	Seat Automotive Seat, Furniture Seat
	G-63S COSMONATE PM	Brown Liquid	36.5±0.3	Max. 20	Automotive Head Rest, Furniture Seat
	-25 COSMONATE PM-27	Brown Liquid	25.5±0.5	160±20	Automotive NVH, Head Rest Automoti
	COSMONATE PM-30 CO	Brown Liquid	28.3±0.5	100±40	ve Head Rest, IN-Panel Automotive Se
SMONATE TM-20 COSM	Brown Liquid	30.0±0.5	110±20	at, Furniture Seat Automotive Seat, Fu	
ONATE TM-50	Brown Liquid	44.5±0.5	Max. 15	niture Seat	
		Brown Liquid	39.5±0.5	20±10	
半硬質フォーム用	COSMONATE PM-35 C	Brown Liquid	27.5±0.5	140±50	Automotive Steering Wheel, IN-Panel
	OSMONATE PM-60 CO	Brown Liquid	27.5±0.5	500±150	Automotive IN-Panel, Arm Rest Auto
	SMONATE PM-150 CO	Pale Yellow Liquid	26.0±0.5	150±50	omotive Steering Wheel Automotive B
	SMONATE ISO-112 CO	Pale Yellow Liquid	22.9±0.5	550±900	umper
	SMONATE CG-28N CO	Brown Liquid Bro	28.2±0.5	70~150	Automotive NVH, Head Rest
	SMONATE CG-29N CO	wn Liquid Brown	27.6±0.5	70~170	Head Rest, Steering Wheel S
	SMONATE CG-150H C	Liquid Brown Liqu	28.5±0.5	60~120	teering Wheel, Table Edge C
	OSMONATE CG-145N	id Brown Liquid	28.3±0.5	75±25	hair Arm Rest, Table Edge A
	COSMONATE CG-250N		28.8±0.5	220±50	utomotive Head liner
CASE用	COSMONATE M-100F	Brown Liquid	31.0±1.0	150~220	Sand Binder Auto
	COSMONATE JG-50K	Brown Liquid	31.8±0.5	40~60	omotive Paint Aut
	COSMONATE JG-51K	Brown Liquid	31.0~32.5	35~55	omotive Paint Au
	COSMONATE JG-70K	Brown Liquid	31.5~31.9	80±20	tomotive Paint

03

## 応用分野

Seat Cushion, Sound Insulation, Head Rest, Steering Wheel, IN-Panel, Slow Recovery Form, Automotive Paints, Sand Binder



04

## 保存及び取り扱い

特殊MDI製品は水分と反応して不溶性尿素(Urea)を生成するため保存・使用中は水分との接触を避け、低温での結氷を防ぐために25~35℃の温度範囲で保管してください。

05

## 安全及び健康

ポリメリックMDIの取扱上の注意をご参照ください。

06

## 製品包装

230 kg/drum, 15~20 ton/tank lorry