

SPECIAL MDI SERIES

01

PRODUCT CHARACTERISTICS

Special MDI is liquids at room temperature, and is variously modified according to purposes of use. The products are used in the field of flexible foam, semi-rigid foam and CASE.

02


SPECIFICATIONS

	Product Name	Appearance	NCO Content(Wt%)	Viscosity(cps/25°C)	Typical Applications
For Flexible Foam	COSMONATE MC-70 C	Brown Liquid	36.5±0.5	Max. 15	Automotive Seat, Furniture Seat
	OSMONATE MC-77 CO	Brown Liquid	35.5±0.5	Max. 25	Automotive Seat, Furniture Seat
	SMONATE MC-82W CO	Brown Liquid	35.5±0.5	Max. 25	Automotive Seat, Furniture Seat
	SMONATE MC-85W CO	Brown Liquid	34.8±0.5	Max. 20	Automotive Seat, Furniture Seat
	SMONATE CG-27N COS	Brown Liquid	27.5±0.5	150~250	Slow Recovery Foam Automotiv
	MONATE CG-30S COSM	Brown Liquid	43.0±0.5	Max. 20	e Seat, Furniture Seat
	ONATE CG-32S COSMO	Brown Liquid	32.8±0.5	Max. 20	Automotive NVH, Head & Arm Rest A
	NATE CG-33S COSMON	Brown Liquid	33.5±0.5	Max. 45	utomotive NVH, Head Rest Automotiv
	ATE CG-35S COSMONAT	Brown Liquid	34.8±0.5	Max. 20	e Seat, Furniture Seat Automotive Sea
	E CG-3705S COSMONA	Brown Liquid	37.4±0.5	Max. 20	t, Furniture Seat Automotive Seat, Fur
	TE CG-50S COSMONATE	Brown Liquid	36.0±0.5	Max. 25	niture Seat Automotive Seat, Furniture
	CG-56S COSMONATE C	Brown Liquid	28.9±0.5	Max. 110	Seat Automotive Seat, Furniture Seat
	G-63S COSMONATE PM	Brown Liquid	36.5±0.3	Max. 20	Automotive Head Rest, Furniture Seat
	-25 COSMONATE PM-27	Brown Liquid	25.5±0.5	160±20	Automotive NVH, Head Rest Automoti
	COSMONATE PM-30 CO	Brown Liquid	28.3±0.5	100±40	ve Head Rest, IN-Panel Automotive Se
SMONATE TM-20 COSM	Brown Liquid	30.0±0.5	110±20	at, Furniture Seat Automotive Seat, Fu	
ONATE TM-50	Brown Liquid	44.5±0.5	Max. 15	niture Seat	
		Brown Liquid	39.5±0.5	20±10	
For Semi-Rigid Foam	COSMONATE PM-35 C	Brown Liquid	27.5±0.5	140±50	Automotive Steering Wheel, IN-Panel
	OSMONATE PM-60 CO	Brown Liquid	27.5±0.5	500±150	Automotive IN-Panel, Arm Rest Auto
	SMONATE PM-150 CO	Pale Yellow Liquid	26.0±0.5	150±50	motive Steering Wheel Automotive B
	SMONATE ISO-112 CO	Pale Yellow Liquid	22.9±0.5	550±900	umper
	SMONATE CG-28N CO	Brown Liquid Bro	28.2±0.5	70~150	Automotive NVH, Head Rest
	SMONATE CG-29N CO	wn Liquid Brown	27.6±0.5	70~170	Head Rest, Steering Wheel S
	SMONATE CG-150H C	Liquid Brown Liqu	28.5±0.5	60~120	teering Wheel, Table Edge C
	OSMONATE CG-145N	id Brown Liquid	28.3±0.5	75±25	hair Arm Rest, Table Edge A
COSMONATE CG-250N		28.8±0.5	220±50	utomotive Head liner	
For CASE	COSMONATE M-100F	Brown Liquid	31.0±1.0	150~220	Sand Binder Auto
	COSMONATE JG-50K	Brown Liquid	31.8±0.5	40~60	motive Paint Aut
	COSMONATE JG-51K	Brown Liquid	31.0~32.5	35~55	omotive Paint Au
	COSMONATE JG-70K	Brown Liquid	31.5~31.9	80±20	tomotive Paint

03

APPLICATIONS

Seat Cushion, Sound Insulation, Head Rest, Steering Wheel, IN-Panel, Slow Recovery Form, Automotive Paints, Sand Binder



04

HANDLING AND STORAGE

Contact with water must be avoided during use and storage, as these products generate insoluble urea on contact with water. Special MDI must be stored at 25~35°C in order to prevent freezing at low temperature.

05

SAFETY AND HEALTH

Please refer to the Safety Information for Polymeric MDI.

06

PRODUCT PACKAGING

230 kg/drum, 15~20 ton/tank lorry